

Rec'd PCT/PTC 18 FEB 2005  
PCT/GB 2003 / 0 0 3 7.12.



INVESTOR IN PEOPLE



## PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH RULE 17.1(a) OR (b)

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ

REC'D 30 SEP 2003

WIPO

PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.


In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated 16 September 2003



### BEST AVAILABLE COPY

An Executive Agency of the Department of Trade and Industry

## Patents Form 1/77

Patents Act 1877  
(Rule 16)26MAR03 E295340-1 D02246  
P01/7700 00-030693728

## Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road  
Newport  
South Wales  
NP10 8QQ

## 1. Your reference

P016791GB

## 2. Patent application number

(The Patent Office will fill in this part)

0306937.4

15 MAR 2003

## 3. Full name, address and postcode of the or of each applicant (underline all surnames)

INTELLPROP LIMITED  
PO BOX 625  
NATIONAL WESTMINSTER HOUSE  
LE TRUCHOT ST PETER PORT  
GUERNSEY

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

A GUERNSEY COMPANY

7900533001

## 4. Title of the invention

TELECOMMUNICATIONS SERVICES APPARATUS

## 5. Name of your agent (if you have one)

D Young &amp; Co

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

21 New Pether Lane  
London  
EC4A 1DA

Patents ADP number (if you know it)

59006

## 6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number  
(if you know it)Date of filing  
(day / month / year)

## 7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing  
(day / month / year)

## 8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

Yes

a) any applicant named in part 3 is not an inventor, or  
b) there is an inventor who is not named as an applicant, orc) any named applicant is a corporate body.  
See note (d))

Patents Form 1/77

## Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form NONE

Description 7

Claim(s) 0

Abstract 0

Drawing(s) 1

10. If you are also filing any of the following, state how many against each item.

Priority documents 0

Translations of priority documents 0

Statement of inventorship and right to grant of a patent (Patents Form 7/77) 2

Request for preliminary examination and search (Patents Form 9/77) 0

Request for substantive examination (Patents Form 10/77) 0

Any other documents (please specify) Facsimile Letter Dated 26 March 2003

11.

I/We request the grant of a patent on the basis of this application.

Signature

Date 26.03.03

D Young & Co (Agents for the Applicants)

12. Name and daytime telephone number of person to contact in the United Kingdom

A J M Pilch

023 8071 9500

### Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

### Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered "Yes" Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

Patents Form 1/77

TELECOMMUNICATIONS SERVICES APPARATUS

This invention concerns telecommunication networks and in particular text messaging services. An example of such a text messaging facility is used in the GSM mobile telephone system. In GSM the Short Message Services (SMS) allow Mobile Stations  
5 (MS) to send and receive short text messages. The messages are normally routed via a Short Message Service Centre (SMSC), which provides a store and forward function. The SMSC will attempt to deliver each message to its destination, which may be another MS or a host address in the same or another network.

10 Successful standardisation has permitted the global spread of mobile telecommunication networks. Handsets are manufactured that can be used in many networks in many countries. However, the standardisation process also slows down the introduction of new features in networks, and facilities available to users today are to a large extent constrained by the scope of the designs envisaged by those who formed  
15 the standards several years previously. Consequently some services or network facilities that are desirable today, are not immediately available because their use was not previously envisioned during standardisation. Nevertheless it is still possible to introduce new services because of the richness and flexibility of those features that are available. Also, existing services can be used in new or specific ways to provide  
20 alternative behaviour and provide new services.

Text messaging has undergone enormous growth because it fulfils a basic communication need, complementing voice communication with the ability to send and receive short text messages. Text messaging is taken here as a generic term that  
25 includes similar forms of messaging including SMS, EMS, MMS and the like. Text messaging in GSM, using SMS, was primarily aimed at handset-to-handset communication, or network to handset communication for the purpose of alerting.

The extensive use of text messaging today for communication gives rise to a need for  
30 associated services that allow text message communication to provide some additional features that are taken for granted with other forms of communication. For example

voice communication can support call recording and written communication allows photocopying, while text messaging has very little support for any form of copying or archiving, and none that is easy to use.

- 5 One technology that can be used as part of a beneficial service is the integration of Short Message and email. It would be desirable to have an easy way to specify that a text message be delivered to an email address as well or instead of being delivered to a telephone address, and this mechanism could then be used as a means of archiving text messages. It is possible in GSM today to send an SMS that is delivered as an email,  
10 but this requires the sender to know the email address that relates to the desired destination, to format the message in a specific way to identify the email address within the body of a text message and to remember a different service number to which to send the message. Given all of these separate actions by the sender, the network is then capable of directing a text message to an email address. The  
15 complexity of the presently available model, and the differences from everyday text messaging, render the service little used in its present form. In any case the service does not provide for a copy of a message to be delivered to an email in addition to normal text message delivery, it merely delivers an email.
- 20 The present invention provides a simple way for users to obtain an archive copy of text messages, without them having to remember or enter any special service number.

- According to the invention there is provided a Telecommunications Services Apparatus for use with a telephone messaging system, the apparatus comprising means  
25 for recognising a predefined arrangement of one or more characters as a suffix to the destination address of a message being submitted to the telephone messaging system and means responsive to recognition by the recognising means to select a function required by the sender of the message so as to change the normal message delivery function of the telephone messaging system thereby to change or augment the  
30 processing or routing of the message.

According to another embodiment of the invention the changed or augmented message delivery function is operative to forward the message in appropriate format to an alternative delivery means.

- 5 According to another embodiment of the invention the changed or augmented message delivery function is operative to forward the message in appropriate format to an additional delivery means, thereby providing an archive or copy function.

- 10 According to an embodiment of the invention the alternative or additional delivery means utilises a pre-selected email address.

- Figure 1 shows an embodiment of one aspect of the invention suitable for a GSM network that may be used to implement a changed message delivery function that is operative to copy information in appropriate format to a pre-selected email address. A  
15 mobile station (1) is connected to a telephone network and is associated with a Mobile Switching Centre MSC (2). A text message Router (3) is operable to intercept messages transmitted between the MSC and the message Service Centre (4). An attached database (5) allows the router to look up email addresses from telephone numbers. The router is connected to an email interface (6) that is able to format and  
20 transmit messages as email.

- Text messages transmitted towards the message service centre SC (4) are directed via a text message Router (3) using well know routing techniques. For example the switching centres (MSCs) in a GSM network may typically be programmed to perform  
25 global title translation on Short Messages so that these messages are routed to the text message router instead of directly to a service centre. In this way all messages destined for the service centre are sent via the text message router. In a practical realisation, several routers may be required. The router examines the destination address of each message to determine whether one of a set of specific text suffices is present at end of  
30 the address. The router may also use source or destination address information to filter the messages so that only a certain subset of messages that pass through the router have their destination addresses processed to check for suffices. This would be

advantageous in reducing the processing load on the router for example in situations where a proportion of text messages passing through the router are destined for certain types of SMS host applications such as voting, where message processing according to the invention may not be applicable.

5

The router examines messages passing through the router that are deemed applicable to the message processing function. If a recognised suffix is not present on the destination address of the message, then the message is routed on transparently to its destination by normal means.

10

If a specific suffix is present, then the suffix is removed, and the router causes the message to be processed in a manner that is specified by the particular suffix detected. Examples of the types of modified processing include copying to a second mobile destination, conversion and archiving of a copy of the message to an email destination and the like.

15

An example application is now described in detail, where the particular modification performed by the embodiment of the invention causes an archive copy of the message to be delivered by email in addition to text message delivery by normal means.

20

Text messages transmitted towards the message service centre SC (4) are intercepted by a text message Router (3). The router examines the destination address of each message to determine whether a specific text suffix is present. In this embodiment, the single character text suffix "\*" is used to indicate an archive request. The GSM specifications for example, specifically provide for the encoding of the \*, #, A, B and C DTMF digits in dialled numeric strings which permits the present invention to utilise a "\*" suffix which will be transported between the mobile telephone and the text message Router.

25

30 For example the user might send the message to the MSISDN number 07777 123456\* where the particular suffix used is a "\*". If the suffix is not present, then the message is routed on transparently to its destination by normal means. If the suffix is present,

the router accesses an attached database (5) to determine an associated email address for the sender of the message, by using the originating address. The suffix is removed and the resultant message is both routed on to its destination by normal means and also converted to email for delivery to the associated email address. In the preferred  
5 embodiment, if no associated address is available, then the email part of the delivery is not performed.

The database provides a mapping between originating MSISDN numbers, such as are specified in the text message, and email addresses. The association between email  
10 address and telephone number may be user-provisioned by means of a text message service, a web interface or the like. If a mapping exists in the database, the message and the email address are passed to the email interface (6), formatted as an email and transmitted to the defined email address via an external data network. If mapping does not exist in the database, the sender may optionally be informed by a text message, or  
15 by a modified acknowledge to his transmission or by other means.

The user does not need to remember his email address or enter it into the phone, other than when originally provisioning it. If the address is not present, invalid, or otherwise unusable, then an error message may be returned to the sender, and the text message is  
20 simply passed on as though the prefix had not originally been present. Messages arriving at the router with no prefix are passed transparently to the normal delivery means.

In an alternative embodiment, archiving to email in the manner described may be  
25 configured, either by the operator or by user provisioning, as the default case. A "\*" or other suffix on the destination address may then be used to disable rather than to enable the archiving feature. The archive provisioning status of each subscriber to a network may be stored in a provisioning database.

30 The provisioning of the default state of archiving as being either ON or OFF has the added advantage that it opens the possibility of archiving messages on behalf of the recipient as well as the sender, provided that the recipient is a subscriber of the same



network. Hence, in an alternative embodiment, messages may be sent to an email address associated with the recipient as well as an email address associated with the sender.

- 5 If a recipient, who is a subscriber of the same network, has his default archiving state set to ON, then the text message Router may, by examination of the provisioning database, determine from the destination address that the recipient desires that all his received messages from other subscribers of the same network shall be archived. The text message router may then undertake the email address lookup and email delivery of  
10 the message as described on behalf of the recipient. Similarly, the text message Router may, by examination of the provisioning database and with due regard for any destination address suffix that the user may have sent, determine from the originating address that the sender desires that this transmitted message shall be archived. The text message router may then undertake the email address lookup and email delivery of the  
15 message as described on behalf of the sender.

- In an alternative embodiment, a destination address suffix may be used by the sender to indicate that archiving is to be performed on behalf of the recipient, or on behalf of both the sender and the recipient. For example the two character suffix '\*\*' could be  
20 used to request archiving to the associated email addresses of both the sender and recipient, if available.

- Provisioning of email addresses to the database may be carried out in several ways. In a preferred embodiment, a text message formatted according to a predefined syntax  
25 may be sent to a predefined number e.g. a shortcode. This would cause the message to be terminated by the text message router and the database to be updated with the subscriber's CLI and the given email address. In an embodiment comprising more than one router, the database would be shared between routers. In this case the database may be connected indirectly to the routers, for example via a text Service Control  
30 Point (SCP.)

In another embodiment, database provisioning may be carried out via a web interface.

The present invention is distinct from the prior art, which makes use of text keys in the message body to modify message processing. This has the disadvantage that message capacity is consumed, which not the case with the present invention.

- 5 A key attribute of the invention is that the described services and other like functions can be invoked on behalf of the sender or the recipient without the sender having to know any special telephone numbers. Traditionally these types of services would be implemented by the sender dialling a specific different number for each feature and interacting with a service. In the present invention the message is always directed at the recipient's telephone number with the addition of a simple memorable suffix such as "\*\*".
- 10 A similar principle may be applied to dialled telephone numbers for voice calls. By appending a \* to the dialled number, the 'archive' feature may be invoked by the network in the form of voice call recording with the possibility of emailing the resultant file to either the originator, the recipient or both.




Figure 1

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**